

Correction

Re: “**Rural internship for final-year medical students**”, by Tarun Sen Gupta, in the 3 July issue of the Journal (*Med J Aust* 2006; 185: 54-55). This letter was co-authored by Dr Richard B Murray, Associate Professor and Planning Director, Rural Clinical School, James Cook University, Townsville, QLD. Dr Murray’s details were omitted from the manuscript of the letter submitted to *The Medical Journal of Australia*, and so were not printed with the letter. □

Re: “**The burden of chronic kidney disease in Australian patients with type 2 diabetes (the NEFRON study)**”, by Merlin C Thomas, Andrew J Weekes, Olivia J Broadley, Mark E Cooper and Tim H Mathew, in the 7 August issue of the Journal (*Med J Aust* 2006; 185: 140-144). In the statement defining microalbuminuria, macroalbuminuria and normoalbuminuria on page 141, the sexes were transposed. The correct statement is:

Albuminuria was stratified according to International Diabetes Federation guidelines^{12,13} as follows:

- Microalbuminuria — urinary albumin–creatinine ratio (ACR) of 3.5–35 mg/mmol (women) or 2.5–25 mg/mmol (men).
- Macroalbuminuria — urinary ACR > 35 mg/mmol (women) or > 25 mg/mmol (men).
- Normoalbuminuria — urinary ACR < 3.5 mg/mmol (women) or < 2.5 mg/mmol (men). □