



Appendix 3

**This appendix was part of the submitted manuscript and has been peer reviewed.
It is posted as supplied by the authors.**

Appendix to: Ski CF, Vale MJ, Bennett GR, et al. Improving access and equity in reducing cardiovascular risk: the Queensland Health model. *Med J Aust* 2015; 202: 148-152. doi: 10.5694/mja14.00575.

Appendix 3. Baseline demographics and treatment – comparison of Indigenous and non-Indigenous participants of The COACH Program

	Indigenous (n = 145)		Non-Indigenous (n = 2454)		P value
	n	(%)	n	(%)	
*Age (years)	55	(10.1)	63	(12.7)	<0.0001
Sex					0.032
Male	81	(56)	1594	(65)	
Female	64	(44)	860	(35)	
Principal diagnosis					0.699
Coronary heart disease	109	(75)	1800	(73)	
Type 2 diabetes	36	(25)	654	(27)	
Employment status					0.322
Employed	45	(31)	727	(30)	
Not in labour force	76	(52)	1491	(61)	
Unemployed (looking for work)	6	(4)	60	(2)	
Procedure Treatment					0.05
Medical management only	88	(61)	1386	(57)	
Percutaneous coronary intervention	27	(19)	735	(30)	
Coronary artery bypass graft surgery	23	(16)	265	(11)	
For planned (elective) revascularisation	1.0	(1)	15	(1)	
Current smoker	43	(30)	280	(16)	<0.0001
*Alcohol intake, standard drinks/day	1.3	(2.2)	1.4	(1.8)	0.001

*Mean and standard deviation presented for age and alcohol intake.