



## **Appendix 4**

**This appendix was part of the submitted manuscript and has been peer reviewed.  
It is posted as supplied by the authors.**

Appendix to: Teichtahl AJ, Brady REB, Urquhart DM, et al. Statins and tendinopathy. *Med J Aust* 2016; 204: 115-121. doi: 10.5694/mja15.00806.

#### **Appendix 4 – Excluded full text articles**

1. Carmont MR, Highland AM, Blundell CM, Davies MB. Simultaneous bilateral Achilles tendon ruptures associated with statin medication despite regular rock climbing exercise. *Phys Ther Sport*. 2009 Nov;10(4):150-2.
2. Celik EC, Ozbaydar M, Ofluoglu D, Demircay E. Simultaneous and spontaneous bilateral quadriceps tendons rupture. *Am J Phys Med Rehabil*. 2012 Jul;91(7):631-4.
3. Chazerain P, Hayem G, Hamza S, Best C, Ziza JM. Four cases of tendinopathy in patients on statin therapy. *Joint Bone Spine*. 2001 Oct;68(5):430-3.
4. Conforti A, Chiamulera C, Moretti U, Colcera S, Fumagalli G, Leone R. Musculoskeletal adverse drug reactions: a review of literature and data from ADR spontaneous reporting databases. *Curr Drug Saf*. 2007 Jan;2(1):47-63.
5. Ganske CM, Horning KK. Levofloxacin-induced tendinopathy of the hip. *Ann Pharmacother*. 2012 May;46(5):e13.
6. Hoffman KB, Kraus C, Dimbil M, Golomb BA. A survey of the FDA's AERS database regarding muscle and tendon adverse events linked to the statin drug class. *PLoS One*. 2012;7(8):e42866.
7. Marie I, Delafenetre H, Massy N, Thuillez C, Noblet C. Tendinous disorders attributed to statins: a study on ninety-six spontaneous reports in the period 1990-2005 and review of the literature. *Arthritis Rheum*. 2008 Mar 15;59(3):367-72.
8. Pullatt RC, Gadarla MR, Karas RH, Alsheikh-Ali AA, Thompson PD. Tendon rupture associated with simvastatin/ezetimibe therapy. *Am J Cardiol*. 2007 Jul 1;100(1):152-3.
9. Rubin G, Haddad E, Ben-Haim T, Elmalach I, Rozen N. Bilateral, simultaneous rupture of the quadriceps tendon associated with simvastatin. *Isr Med Assoc J*. 2011 Mar;13(3):185-6.